Trade name: ClearShield Classic MATTE

Version: 2/

Substance number: 3602XX914

Replaces Version: 1 / WORLD

# **SECTION 1: Identification of the substance/mixture and of the** company/undertaking

#### 1.1. Product identifier

**ClearShield Classic MATTE** 

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/preparation

Liquid laminate

### 1.3. Details of the supplier of the safety data sheet

#### Address

Marabu North America 2460A Remount Road 29406 North Charleston, SC Telephone no. 843-886-0094 Information provided Department product safety by / telephone E-mail address of PRSI@marabu.de person responsible for this SDS

### 1.4. Emergency telephone number

CHEMTREC 703-527-3887 CCN5004

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008) Aquatic Chronic 3 H412 Skin Sens, 1A H317

### 2.2. Label elements

### Labelling according to regulation (EC) No 1272/2008

### Hazard pictograms



# Signal word

Warning

#### Hazard statements

H412	Harmful to aquatic life with long lasting effects.
H317	May cause an allergic skin reaction.
Precautionary statem	ients
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.

ade name: ClearShield	Classic MATTE					
		Version:	2 /			Date revised: 09.01.201
ubstance number: 3602	XX914	Replace	s Version	: 1/W	/ORLD	Print date: 08.11.10
P333+P313	If skin irritation	on or rash c	occurs: Ge	et medic	cal advice/a	ttention.
Hazardous comp	• •		•	-	· · ·	•
contains	1,2,2,6,6-pe alpha-3-(3-(2 ydroxypoly(c	ntamethyl-4 2h-benzotria oxyethylene) 4-hydroxyph	-piperidyl azol-2-yl)- ) and alph ienyl)prop	sebaca 5-tert-bi na-3-(3-( pionyl-or	ate;Mixture o utyl-4-hydro (2h-benzotr mega-3-(3-(	oxyphenyl)propionyl-omega-h riazol-2-yl)- (2h-benzotriazol-2-yl)-5-tert-b
2.3. Other hazards No special hazard	ds have to be ment	tioned.				
ECTION 3: Comp			on ing	redie	onts	
B.2. Mixtures	<u>/////////////////////////////////////</u>	Induer.	<u>vn ma</u>	104.0		
Chemical charact	erization					
•	liquid laminate bas	sed on polyı	urethane			
Hazardous ingred	lients					
Triethylamine	104 44 9					
CAS No. EINECS no.	121-44-8 204-469-4					
Concentration	>=	0,1	<	1	%	
Classification (Re	egulation (EC) No.	1272/2008)				
	Skin Corr. 1/		H314			
	Flam. Liq. 2 Acute Tox. 3	1	H225			
	Acute Tox. 3 Acute Tox. 3		H331 H311			
	Acute Tox. 4		H302			
Concentration lim	nits (Regulation (EC STOT SE 3	C) No. 1272/ H33	,			
Mixture of						
hylene) and alpha	<b>1-3-(3-(2h-benzotri</b> roxyphenyl)propic poly(oxyethylene) 400-830-7	azol-2-yl)- onyl-omega	a-3-(3-(2h			-omega-hydroxypoly(oxyet
	>=	0,1		1	70	
Classification (Re	egulation (EC) No. Skin Sens. 1		H317			
	Aquatic Chro		H317 H411			
Reaction mass of		ebacate		) sebac	ate and me	əthyl
1,2,2,6,6-pentame Registration no.			-		70	
1,2,2,6,6-pentame	01-2119491: >=	0,25	<	I		
<b>1,2,2,6,6-pentame</b> Registration no. Concentration	>= egulation (EC) No.	0,25 1272/2008)		1		
<b>1,2,2,6,6-pentame</b> Registration no. Concentration	>=	0,25 1272/2008) A		I		

Trade name: ClearShield Classic MATTE

Version: 2 /



Substance number: 3602XX914

Replaces Version: 1 / WORLD

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / treatment

Treat symptomatically

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Not be used for safety reasons: water jet

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); dense black smoke

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses.

# **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures** Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter drains or waterways. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

Trade name: ClearShield Classic MATTE

Version: 2/

Date revised: 09.01.2015 Print date: 08.11.16

Substance number: 3602XX914

Replaces Version: 1 / WORLD

Clean preferably with a detergent - avoid use of solvents.

#### 6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid skin and eye contact. Avoid inhalation of vapour and spray mist. Smoking, eating and drinking shall be prohibited in application area. For personal protection see Section 8. Never use pressure to empty: container is not a pressure vessel. Always keep in containers of same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or water courses.

#### Classification of fires / temperature class / Ignition group / Dust explosion class **Temperature class** T3

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store in accordance with national regulation

#### Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

#### Further information on storage conditions

Store between 15 and 30 °C in a dry, well ventilated place. Keep container tightly closed. No smoking. Prevent unauthorised access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### 7.3. Specific end use(s)

Liquid laminate

## **SECTION 8: Exposure controls/personal protection**

#### 8.2. Exposure controls

#### **Exposure controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

#### **Respiratory protection**

Not applicable.

#### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

For prolonged or repeated handling nitrile rubber gloves with textile undergloves are required.

Material thickness	>	0,5	mm
Breakthrough time	<	30	min

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

Safety data sheet in accordance with		1907/20	006	
Trade name: ClearShield Classic MATT				Marab
0	Version: 2/			Date revised: 09.01.2015 Print date: 08.11.16
Substance number: 3602XX914	Replaces Ve	ersion:	17 WORLD	
Eye protection Use safety eyewear designed to Body protection Not applicable. SECTION 9: Physical and c				
9.1. Information on basic phys	ical and chemica			
Form	Liquid			
Colour Odour	milky white mild			
	miu			
Odour threshold Remarks	No data available			
	No data avaliable			
<b>pH value</b> Remarks	not determined			
Melting point	not determined			
Remarks	not determined			
Freezing point	not determined			
Remarks	not determined			
Initial boiling point and boilir				
Value	appr. 100		°C	
Pressure	1.013	hPa	0	
Source	Literature value			
Flash point				
Remarks	Not applicable			
Evaporation rate (ether = 1) :				
Remarks	not determined			
Flammability (solid, gas) Not applicable				
Upper/lower flammability or o	explosive limits			
Lower explosion limit	appr. 1,1		%(V)	
Upper explosion limit Source	appr. 14 Literature value		%(V)	
Vapour pressure Remarks	not determined			
Vapour density	not determined			
Remarks	not determined			
Density	not determined			
Value	appr. 0,96		g/cm³	
Source	calculated value		9,011	
Solubility in water				
Remarks	miscible			
Partition coefficient: n-octan	ol/water			
Remarks	Not applicable			
Ignition temperature				
Value	appr. 207		°C	
Source	Literature value			
Viscosity				

Г

Trade name: ClearS	Shield Classic M/	ATTE			Marcha
			Version: 2 /		Date revised: 09.01.2015
Substance number:	3602XX914		Replaces Version: 1 / V	WORLD	Print date: 08.11.16
Remarks					
Remarks		not	determined		
Explosive pr evaluation	operties	20			
Oxidising pr	operties	no			
evaluation	openties	Nor	ne known		
9.2. Other infor	mation				
Other inform					
The physica	al specifications	are appro	oximate values and refer to	the used safet	y relevant component(s).
	Stability on	d rooo	41.74.7		
SECTION 10: 3	Stability an	d read	<u>stivity</u>		
10.1. Reactivity No hazardo		en stored	and handled according to	prescribed inst	ructions.
10.2. Chemical Stable unde		l storage	and handling conditions (se	ee section 7).	
10.3. Possibility Keep away exothermic	from oxidising a		<b>ions</b> rongly alkaline and strongly	<i>i</i> acid materials	in order to avoid
10.4. Condition When expo		peratures	may produce hazardous d	ecomposition p	products.
10.5. Incompati No hazardo			and handled according to	prescribed inst	ructions.
10.6. Hazardous	s decomposi <sup>.</sup>	tion pro	oducts		
See chapte	r 5.2 (Firefighting	g measur	es - Special hazards arisin	g from the sub	stance or mixture).
SECTION 11:	Toxicologia	al info	ormation		
11.1. Informatio		ogical e	effects		
Acute derma ATE	al toxicity	>	2.000	mg/kg	
Method			ited value (Regulation (EC)		8)
Acute inhala	tional toxicity	,	, <b>,</b> ,		,
ATE	-	>	20	mg/l	
Administrat Method	ion/Form	Vapors	s ited value (Regulation (EC)	No 1272/200	8)
ATE		>	5	mg/l	0)
Administrat Method	ion/Form	Dust/N calcula	list ited value (Regulation (EC)	-	8)
Aspiration h					
-	hazards have to	be menti	oned.		
Experience i	-				
where know	vn, delayed and	immediat	cause irritation and reversil e effects and also chronic e lation and dermal routes of	effects of comp	oonents from short-term

#### Other information

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and not classified.

Trade name: ClearShield Classic MATTE

Marabu 2015

Substance number: 3602XX914

Version: 2/

Replaces Version: 1 / WORLD

Date revised: 09.01.2015 Print date: 08.11.16

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### **General information**

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

### 12.2. Persistence and degradability

#### **General information**

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

#### **General information**

There are no data available on the mixture itself.

#### Partition coefficient: n-octanol/water

Not applicable

### Remarks 12.4. Mobility in soil

### **General information**

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

#### **General information**

There are no data available on the mixture itself.

### 12.6. Other adverse effects

### **General information**

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Disposal recommendations for the product

Do not allow to enter drains or water courses. Wastes and emptied containers should be classified in accordance with relevant national regulation. The European Waste Catalogue classification of this product, when disposed of as waste is EWC waste code 08 03 12\* waste ink containing dangerous substances If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information contact your local waste authority.

#### Disposal recommendations for packaging

Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Not emptied containers are hazardous waste (waste code number 150110).

# **SECTION 14: Transport information**

### Land transport ADR/RID

Non-dangerous goods 14.1. UN number

Trade name: ClearShield Classic MATT	E	
	Version: 2/	Date revised: 09.01.2015
Substance number: 3602XX914	Replaces Version: 1 / WORLD	Print date: 08.11.16
UN -		
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Class Label	-	
14.4. Packing group		
Packing group	-	
Transport category	0	
14.5. Environmental hazards	C C C C C C C C C C C C C C C C C C C	
- Marine transport IMDG/GGVSe	٩	
The product does not constitute	a hazardous substance in sea transport	
14.1. UN number		
UN -		
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Class	-	
Subsidiary risk	-	
14.4. Packing group		
Packing group	-	
14.5. Environmental hazards		
Air transport ICAO/IATA The product does not constitute 14.1. UN number UN - 14.2. UN proper shipping name	e a hazardous substance in air transport.	
- 440 <b>T</b> erry and Langer Labor (e.e.)		
14.3. Transport hazard class(es)		
Class	-	
Subsidiary risk	-	
14.4. Packing group Packing group		
14.5. Environmental hazards	-	
	er	ent of an accident or spillage.
Other information		
	g to Annex II of Marpol and the IBC Co	ode
SECTION 15: Regulatory in	formation	
15.1. Safety, health and environ or mixture	nmental regulations/legislation s	specific for the substance
Other information		
	ubstances of very high concern (SVHC).	
15.2 Chemical safety assessm	Ant	

# 15.2. Chemical safety assessment

Trade name: ClearShield Cla	ISSIC MATTE
	Version: 2 / Date revised: 09.01.2015
Substance number: 3602XX	914 Replaces Version: 1 / WORLD Print date: 08.11.16
For this preparation	a chemical safety assessment has not been carried out.
SECTION 16: Other	<u>information</u>
Hazard statements I	isted in Chapter 3
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
CLP categories liste	ed in Chapter 3
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1

- Aquatic Chronic 1
   Hazardous to the aquatic environment, chronic, Category 1

   Aquatic Chronic 2
   Hazardous to the aquatic environment, chronic, Category 2

   Flame Lin 2
   Flame Lin 2
- Flam. Liq. 2Flammable liquid, Category 2Skin Corr. 1ASkin corrosion, Category 1ASkin Sens. 1Skin sensitization, Category 1
- Skin Sens. 1A Skin sensitization, Category 1A

#### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring

to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.